







Hand-Held Scanners

LASER SCANNERS

<p>Warranty 3 yrs</p> 	<p>Warranty MS9520/40: 5 yrs MS9535: 2 yrs</p> <p>MS9520 Voyager MS9535 VoyagerBT MS9540 VoyagerCG</p> 	<p>Warranty 5 yrs</p> 	<p>Warranty 2 yrs</p> 
<p>MS5145 Eclipse™</p>	<p>MS9500 Voyager® Series</p>	<p>MS9590 VoyagerGS®</p>	<p>IS4225</p>
<ul style="list-style-type: none"> Laser based-alternative with longer working range and wider scan field than typical CCD scanners CodeGate® data transmission is ideal for menu-scanning applications CodeSense® technology allows for PowerSave mode and automatic wake-up <p>1D SMS</p>	<ul style="list-style-type: none"> Automatic trigger allows scanner to function as a hand-held or fixed presentation device CodeGate data transmission is ideal for menu-scanning applications Full scanner line offers models that decode all 1D bar codes including high density codes (MS9521/41 only) for application specific needs <p>1D EAS SMS</p>	<ul style="list-style-type: none"> Ergonomic design allows scanner to fit comfortably into a wide range of hand sizes Increased scan speed provides an aggressive solution for scanning all standard 1D codes Automatic in-stand detection aids in seamless presentation mode scanning Optional integration of RF EAS antenna increases efficiency by simultaneously deactivating RF EAS tags and decoding bar codes <p>1D EAS IP31 rated SMS</p>	<ul style="list-style-type: none"> Wearable scanner fits comfortably on back of hand, preventing operational fatigue Automatic scanning facilitates speedy operation by eliminating the need for repeated button presses Mounts to virtually any device, taking up minimal space <p>1D</p>

LINEAR IMAGERS

<p>Warranty 3 yrs</p> 	<p>Warranty 5 yrs</p> <p>3800g 3800gPDF 3800gHD</p> 	<p>Warranty 3820: 3 yrs 3800r: 5 yrs</p> <p>3820 3800r</p> 	<p>Warranty 3820i: 3 yrs 3800i: 3 yrs</p> <p>3820i 3800i</p> 
<p>MS3780 Fusion®</p>	<p>3800g Series</p>	<p>3800r Series</p>	<p>3800i Series</p>
<ul style="list-style-type: none"> Primary omnidirectional scan pattern increases throughput by scanning codes in any orientation Secondary single-line scan pattern facilitates targeted menu scanning Automatic in-stand detection facilitates seamless presentation mode scanning Optional integration of RF EAS antenna increases efficiency by simultaneously deactivating RF EAS tags and decoding bar codes <p>1D EAS SMS</p>	<ul style="list-style-type: none"> Optimal combination of scanning speed and read range to meet most application requirements Comfortable, lightweight design for scan intensive use Built to endure the rigors of high-use environments Specialized options for high-density and PDF bar code reading <p>1D PDF SMS</p>	<ul style="list-style-type: none"> Specialized for extended range scanning with integrated retail interfaces Optimal for use as an auxiliary scanner—minimizes lifting heavy or bulky items at the POS Corded or Bluetooth® wireless connectivity options FIPS 140-2 Certified Encryption option (3820 only) <p>1D Bluetooth SMS</p>	<ul style="list-style-type: none"> Industrial-grade durability with impact-absorbing housing Environmentally sealed against dust and moisture intrusion, and withstands extreme temperatures Extended read range Corded or Bluetooth® wireless connectivity options FIPS 140-2 Certified Encryption option (3820i only) <p>1D Bluetooth IP54 rated SMS</p>

Hand-Held Scanners

AREA IMAGERS

Warranty

MS1690: 5 yrs
MS1633: 2 yrs (SCANNER)
1 yr (BATTERY AND ADAPTER)

MS1690 Focus
MS1633 FocusBT



Warranty

4820: 3 yrs
4600g: 5 yrs

4820
4600g



Warranty

5 yrs



MS1600 Focus® Series

4600g/4820

4600r Series

- Provides increased throughput for virtually all 1D and 2D bar code reading applications—including poorly printed or damaged bar codes
- Omnidirectional scanning eliminates the need to orientate the scanner to a bar code
- Avoid cable clutter and tangles with Bluetooth® wireless connectivity (MS1633 only)

- High performance linear and 2D bar code scanning
- Durable, light-industrial construction ensures dependability
- FIPS 140-2 Certified Encryption option (4820 only)
- Disinfectant-ready housing option for healthcare environments
- Corded or Bluetooth® wireless connectivity options
- Bluetooth Interface Module Option (4820 only)

- Designed specifically for point of sale (POS) presentation scanning applications delivering enhanced functionality only possible with a 2D imager
- Presentation scanning performance on linear bar codes
- Enables drivers license reading for enhanced customer service applications such as e-forms and ID verification



Warranty

4820i: 3 yrs
4800i: 5 yrs

4820i
4800i



Warranty

6300: 18 mo
6320: 18 mo

6300dpm
6320dpm




4800i Series

6000 Series

- Industrial-grade durability with impact-absorbing housing
- Environmentally sealed against dust and moisture intrusion, and withstands extreme temperatures
- FIPS 140-2 Certified Encryption Option (4820i only)
- Corded or Bluetooth® wireless connectivity options
- Bluetooth Interface Module Option (4820i only)

- Custom DPM technology combines specialized illumination, optics and decoding software all optimized for DPM applications
- Easy-to-use software set-up tool optimizes the lighting, optics and decoding to ensure top performance in your environment
- Rugged, ergonomic design to withstand the most demanding environments



LEGEND



Reads 1D bar codes



Reads PDF bar codes



Reads 2D bar codes



Reads Postal bar codes



Reads Direct Part Mark codes



Reads OCR fonts



Captures digital images



Integrated EAS antenna



Integrated scale



Bluetooth compatible



WiFi compatible



GSM/GPRS compatible



Integrated GPS technology



Windows Mobile



Windows CE



IP-rated



Service Made Simple



Powered by Adaptus

Honeywell

Bioptic Scanners

LASER SCANNERS

Warranty
3 yrs



MS2300 StratosH®

- Six-sided, 360° scanner/scale series optimizes checkout productivity with aggressive pass through scanning, regardless of product orientation
- Mettler Toledo dual interval scale withstands harsh checkout environments, offers a fast settling time and provides accurate, high resolution weighing
- StratosSYNC™ features independent vertical and horizontal scanning planes that ensure uptime



Warranty
3 yrs



MS2122 StratosE®

- Smallest six-sided, 360° bioptic scanner in the market optimizes checkout productivity with aggressive pass through scanning, regardless of product orientation
- StratosSYNC features independent vertical and horizontal scanning planes that ensure uptime
- StratosSWAP™ provides field replaceable optical modules that minimize down time and lower costs



Warranty
2 yrs



MS2400 Stratos®

- Five-sided, 360° scanner/scale series optimizes checkout productivity with aggressive pass through scanning, regardless of product orientation
- Mettler Toledo dual interval scale withstands harsh checkout environments, offers a fast settling time and provides accurate, high resolution weighing
- StratosSYNC features independent vertical and horizontal scanning planes that ensure uptime



Hands-Free Scanners

LASER SCANNERS

Warranty
3 yrs

MS7120 Orbit
MS7180 OrbitCG



MS7100 Orbit® Series

- Customized depth-of-field for tight scanning
- Omnidirectional presentation laser bar code scanner engineered for first-pass read rate accuracy
- Contour shape enables it to be picked up for easy scanning
- CodeGate data transmission is ideal for menu-scanning applications (MS7180 only)



Warranty
3 yrs



MS3580 QuantumT®

- Custom configurable scan pattern
- Three modes of operation: raster, single-line or omnidirectional
- Various stand options which meet user needs
- Extremely aggressive with 1650 scans per second
- Small form factor



Warranty
3 yrs


















MS7320 InVista®



























- Built in RF EAS antenna increases efficiency by simultaneously deactivating RF EAS tags and decoding bar codes
- RS232 auxiliary port allows additional peripherals such as hand-held scanners to be connected
- Field-replaceable window minimizes downtime with quick and easy in-lane replacement



Hands-Free Scanners

LASER SCANNERS		AREA IMAGERS
<p>Warranty 2 yrs</p> 	<p>Warranty 3 yrs</p> 	<p>Warranty 2 yrs</p> 
MS7820 Solaris™	MS7600 Horizon®	IS1650
<ul style="list-style-type: none"> Aggressively decodes high-density bar codes and optimizes checkout procedures Multiple on-board interfaces provide infrastructure protection and ensure compatibility with POS systems Diagnostic indicator decreases downtime with easy troubleshooting 	<ul style="list-style-type: none"> Compact in-counter omnidirectional scanner Built in RF EAS antenna increases efficiency by simultaneously deactivating RF EAS tags and decoding bar codes RS232 auxiliary port allows additional peripherals such as hand-held scanners to be connected Glass and Diamonex window options 	<ul style="list-style-type: none"> Omnidirectional scanning eliminates the need to orientate the scanner to a bar code Scans/decodes all standard 1D and 2D bar codes CodeSelect™ technology scans up to seven bar codes in a single flash then outputs data in any predetermined order IR object detection provides activation for hands-free applications
 1D  EAS  SMS	 1D  EAS  SMS	 1D  PDF  2D  POSTAL  OCR  SMS

Hands-Free Scanners

AREA IMAGERS		NEW PRODUCT
<p>Warranty 5 yrs</p> 	<p>Warranty 2 yrs</p> 	<p>Warranty 2 yrs</p> 
4800p	MS7580 Genesis™	MS4980
<ul style="list-style-type: none"> Extremely compact form-factor Integrated scanner and presentation stand with tray for scanning small POS items, reading bar coded 1D cards and capturing small images 	<ul style="list-style-type: none"> Superior motion tolerance provides aggressive scanning Intelligent multi-interface design reduces overall system costs TotalFreedom™ expands scanner functionality by allowing formatting, parsing and decoding plug-ins to be loaded directly into the MS7580 instead of the host system Integrated EAS increases efficiency by simultaneously deactivating EAS tags and decoding bar codes 	<ul style="list-style-type: none"> Compact form factor allows the scanner to be held comfortably in the palm of the hand or mounted in self-service kiosks Aggressive pass-through scanning enhances productivity Intelligent multi-interface design reduces overall system costs TotalFreedom™ expands scanner functionality by allowing formatting, parsing and decoding plug-ins to be loaded directly into the MS4980 instead of the host system
 1D  PDF  2D  POSTAL  OCR   SMS 	 1D  PDF  2D  POSTAL  OCR   EAS  SMS	 1D  PDF  2D  POSTAL  OCR   SMS

LEGEND	
	Reads 1D bar codes
	Reads PDF bar codes
	Reads 2D bar codes
	Reads Postal bar codes
	Reads Direct Part Mark codes
	Reads OCR fonts
	Captures digital images
	Integrated EAS antenna
	Integrated scale
	Bluetooth compatible
	WiFi compatible
	GSM/GPRS compatible
	Integrated GPS technology
	Windows Mobile
	Windows CE
	IP-rated
	Service Made Simple
	Powered by Adaptus

Honeywell

Mobile Computers

<p>Warranty 1 yr</p> 	<p>Warranty 1 yr</p> <p>SP5502 OptimusS SP5535 OptimusSBT</p> 	<p>Warranty 1 yr</p> <p>SP5600 OptimusR SP5650 OptimusRW</p> 
<p>ScanPal®2</p> <ul style="list-style-type: none"> • Easy to use Windows-based application generator • Offers optional "C" and "BASIC" compilers for more experienced programmers • Back-lit display is easy to read in all lighting conditions • Various accessory options make it easy to customize to any application <p>1D SMS</p>	<p>SP5500 OptimusS™ Series</p> <ul style="list-style-type: none"> • Backlit LCD display with adjustable font • Outstanding feature set in lightweight form factor • Cradle communicates RS232 and USB • Fully charged battery lasts approx. 100 hours (OptimusSBT lasts approx. 36 hours) • Multiple programming options (Optimizer, BASIC, C) accommodate varying skill levels • Class 1 Bluetooth connectivity <p>1D SMS</p>	<p>SP5600 OptimusR™ Series</p> <ul style="list-style-type: none"> • IP65-rated design and 1.2 m shock provide protection against harsh environments • Durable plastic housing with integrated rubber reinforces construction • Rechargeable battery offers 200 hours of continuous operation • Ergonomic design with large, backlit keys facilitates comfortable one-handed operation • Integrated 802.11b/g wireless connectivity <p>1D WiFi IP65 SMS</p>
<p>Warranty 1 yr</p> 	<p>Warranty 1 yr</p> 	<p>Warranty 2 yrs</p> 
<p>SP5700 OptimusPDA™</p> <ul style="list-style-type: none"> • Microsoft Windows® CE.net and a PXA270 520MHz processor combine to offer a powerful, familiar and easy-to-use platform • IP54-rated design and 1.5 m shock provide protection against harsh environments • Multiple wireless communication options increase data-transfer efficiency • Lightweight, ergonomic design <p>1D PDF 2D POSTAL GSM IP54 SMS</p>	<p>Dolphin® 7600</p> <ul style="list-style-type: none"> • Full mobile computing functionality in a light-industrial, compact and extremely ergonomic design—optimized for comfortable one-handed use • Built for reliability in light-industrial environments • Full wireless connectivity—GSM/GPRS, 802.11b/g and Bluetooth for real-time communication—anytime, anywhere • Shift-PLUS™ battery life for 10+ hours of continuous use <p>1D PDF POSTAL 2D GSM IP54 SMS</p>	<p>Dolphin® 7850</p> <ul style="list-style-type: none"> • Optimized design for high-volume in-premise scanning, featuring an integrated pistol grip and easy-to-view upward angled display • Industrial-grade design to ensure reliability in harsh, high-use environments • Wireless connectivity to enterprise networks and cordless peripherals through integrated 802.11b/g and Bluetooth® • Flexible data capture options—imaging technology for standard scanning applications or laser options for extended range scanning • Shift-PLUS™ battery life for 10+ hours of continuous use <p>1D PDF 2D POSTAL GSM IP64 SMS</p>

Mobile Computers

Warranty
2 yrs



Dolphin® 7900

- Industrial PDA-style design
- Full wireless connectivity—GSM/GPRS, 802.11b and Bluetooth® for real-time communication—anytime, anywhere
- Integrated GPS technology enabling location-based applications for improved operator efficiency and more effective field asset management
- Shift-PLUS™ battery life for 10+ hours of continuous use



Warranty
2 yrs



Dolphin® 9550/9551

- Full PDT designed for in-premise and long-range scanning applications
- Ergonomic pistol grip and large screen for comfort and ease of use
- Wireless connectivity to enterprise networks and cordless peripherals through integrated 802.11b and Bluetooth®
- Laser scanner for extended range scanning (Dolphin 9551)



NEW PRODUCT

Warranty
2 yrs



Dolphin® 9900

- True industrial-grade durability to ensure reliability in rugged mobile applications
- Optimized design—user-preferred features including angled scan engine and integrated finger saddle
- Full wireless connectivity—integrated GSM/GPRS, 802.11b/g and Bluetooth for real-time communication—anytime, anywhere
- Integrated GPS technology enabling location-based applications for improved operator efficiency and more effective field asset management
- Shift-PLUS™ battery life for 10+ hours of continuous use



Warranty
2 yrs



Dolphin® 9950

- Integrated pistol grip ensures comfort during extended periods of usage
- Wireless connectivity to enterprise networks and cordless peripherals through integrated 802.11b/g and Bluetooth®
- Multiple keypad options deliver functionality for a variety of applications
- Shift-PLUS™ battery life for 10+ hours of continuous use



LEGEND



Reads 1D bar codes



Reads PDF bar codes



Reads 2D bar codes



Reads Postal bar codes



Reads Direct Part Mark codes



Reads OCR fonts



Captures digital images



Integrated EAS antenna



Integrated scale



Bluetooth compatible



WiFi compatible



GSM/GPRS compatible



Integrated GPS technology



Windows Mobile



Windows CE



IP-rated



Service Made Simple



Powered by Adaptus

Honeywell

OEM

LASER SCANNERS

Warranty
2 yrs



IS4125

- IR activation for hands-free scanning
- Metal housing offers protection against accidental damage
- Compact design allows for integration into small devices



Warranty
2 yrs



IS4813

- Delivers aggressive scanning of 1D bar codes as small as 4 mil
- Miniature design fits easily into OEM devices
- Mounting holes facilitate quick and easy integration



Warranty
2 yrs



IS3480

- Sweet-spot mode determines ideal mounting location for users
- Unique shape allows mounting in slim profile systems
- Single-line mode aids in scanning items that contain multiple bar codes or selecting bar codes from a menu
- Aggressive, reliable scanning



Warranty
2 yrs



IS220

- Rugged, high-speed omnidirectional scan engine is ideal for reverse vending and other industrial applications
- Self diagnostics and remote monitoring minimize down time



LINEAR IMAGERS

Warranty
2 yrs



3800E

- Cost-effective high-performance linear bar code scanning
- Compact, easy-to-install configuration
- Windows-based programming tools provide easy set-up and configuration
- Fast, accurate PDF417 decoding (3800EPDF model)



Warranty
5 yrs



3900

- The performance of the 3800E, packaged for fixed-position reading applications
- Bright, sharp aiming line
- Presentation mode scanning capability
- Three convenient connectivity options: Keyboard wedge, RS232 serial interface or USB






















2D IMAGERS



5000 Series

- Ultra-compact design that can be easily integrated into a variety of devices
- Reads virtually all linear and 2D bar codes, plus postal codes and OCR fonts
- Captures digital images



Document Imager	Self-Service Kiosk
<p>Warranty 3 yrs</p> 	<p>Warranty 1 yr</p> 
<p>4800dr</p>	<p>Image Kiosk™ 8570</p>
<ul style="list-style-type: none"> • Imager, stand and document tray work together as an integrated document imaging solution • Enables imaging documents up to 8.5" x 11" or A4 in size and ensures crisp images regardless of document or font color • Reliable technology with no moving parts <p>      </p>	<ul style="list-style-type: none"> • Small footprint, taking up minimum floor space • Finger-touch navigation • Fast and intuitive bar code reading of all linear and 2D bar codes • Microsoft® Windows® CE 5.0 operating system • Integrated magnetic stripe reader <p>       </p>
Bar Code Verifiers	
<p>Warranty 2 yrs</p> <p>QC 800 QC PC600 QC 890</p> 	<p>Warranty 1 yr</p> 
<p>Quick Check® Series</p>	<p>Quick Check On-Line Verifier</p>
<ul style="list-style-type: none"> • Easy set-up and operation • Interchangeable optical input devices—choice of mouse wand, pen wand or hand-held imager • Bluetooth® wireless connectivity • Rechargeable battery eliminates power cables • Simple results storage—save scan results as data files and/or ASCII text files <p>    </p>	<ul style="list-style-type: none"> • Multiple scanning methods—provide reflectance, dimensional and format measurements • Flexible optical configurations—allows reading and verifying higher-density or low-contrast symbols • Simple set-up—Windows®-based software is easy to install and use <p>  </p>

LEGEND	
	Reads 1D bar codes
	Reads PDF bar codes
	Reads 2D bar codes
	Reads Postal bar codes
	Reads Direct Part Mark codes
	Reads OCR fonts
	Captures digital images
	Integrated EAS antenna
	Integrated scale
	Bluetooth compatible
	WiFi compatible
	GSM/GPRS compatible
	Integrated GPS technology
	Windows Mobile
	Windows CE
	IP-rated
	Service Made Simple
	Powered by Adaptus

Honeywell

Software

SOTI MobiControl

- Enables centralized remote management of Dolphin mobile computers and image kiosk solutions
- Tracks hardware and software assets
- Performs scheduled or ad-hoc file/data synchronization
- Compatible with Dolphin® mobile computers

PowerNet Twin Client

- Connects Dolphin® WLAN mobile computers directly to host applications via TN3270, TN5250 or TNVT terminal emulation and industry-standard TCP/IP protocol
- Enables customized functionality for wireless data collection including keyboard mapping, automated login capabilities and pass-through printing
- Simplifies integration of Dolphin® WLAN mobile computers into a variety of mainframe and open system application environments
- Compatible with Dolphin® 7600, Dolphin® 7850, Dolphin® 7900, Dolphin® 9500 Series, Image Kiosk 8560

ITScript Net

- Allows programmers and non-programmers to quickly and easily write effective data collection applications
- Saves development time by testing data collection applications before deployment
- Compatible with Dolphin® 7600, Dolphin® 7850, Dolphin® 7900, and Dolphin® 9500 Series

NEW PRODUCT

EasyID™

- Parses bar code data found on government-issued identification cards for applications involving age verification or automatic electronic form population
- Eliminates the need for host system software to process the encoded information contained within 1D and 2D bar codes found on government-issued identification
- Compatible with MS7580 Genesis, MS1690 Focus®, MS1633 FocusBT, IS4920 and IS1650

Omniplanar™ SwiftDecoder™

- Provides hand-held scanners with snappy performance and fixed scanners with industry-leading decode times
- Increases read rates of damaged and poorly printed real-world bar codes
- True 360° omnidirectionality increases ease-of-use and first-pass reads

Omniplanar™ SwiftDimension™

- Enables existing fixed-position automatic identification imaging systems to capture accurate two-dimensional measurements of objects within 0.5", eliminating the need for costly or bulky dimensioning equipment
- Maximizes uptime and reduces maintenance by eliminating additional hardware components

Omniplanar™ SwiftJPEG™

- Achieves significantly higher compression ratios than standard JPEG compressors
- Preserves critical image detail for review purposes
- Increases image storage capacity by 20–30 times

Omniplanar™ SwiftOCR™

- Provides existing AIDC imaging devices with high-speed optical character recognition (OCR) of OCR-A, OCR-B and MICR characters, without needing additional OCR dedicated hardware
- Templated-OCR software designed specifically for AIDC hardware reduces costs associated with full-page-OCR software

Omniplanar™ SwiftVerify™

- Allows existing AIDC hardware to quickly and accurately verify 1D and postal bar codes based on ISO/IEC, ANSI and MERLIN specifications
- Authenticates verification results with a single pass over a bar code instead of traditional multi-swipe methods
- Increases workplace efficiencies by allowing operators to both scan and verify with a single piece of AIDC hardware